

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	858	73/1.08-1.15.ccls. or 73/1.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:15
L2	5231	(calibrat\$5 or prov\$3) near3 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 10:40
L3	22	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 14:38
L4	129	2 with (force)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 09:58
L5	122	4 not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 09:59
L6	0	5 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 10:39
L7	5739	(calibrat\$5 or prov\$3) near3 (force or torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 10:40
L8	136	7 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 10:41
L9	36	8 and tool	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 10:41
L10	21	9 not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:03
L11	188	73/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 13:07
L12	19	11 and tool	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:10

L13	1	"4483177".uref,bi.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:10
L14	2	"4483177".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:13
L15	2	"3115029".PN.	USPAT; USOCR	OR	ON	2005/01/31 12:14
L16	2	"3382710".PN.	USPAT; USOCR	OR	ON	2005/01/31 12:14
L17	1	"4253325".PN.	USPAT; USOCR	OR	ON	2005/01/31 12:14
L18	579	73/1.08-1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:15
L19	75	18 and tool	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:15
L20	56	19 not 12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:55
L21	2	"6212924".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:57
L22	2	"5421101".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:58
L23	2	"5596800".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 12:58
L24	119	11 not weigh\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 13:07
L25	2	"6212924".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 14:39
L26	1	1 and recalibration near2 warning	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 14:41

L27	27	1 and warning	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 14:40
L28	10	recalibration near2 warning	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 14:44
L29	16	recalibration near2 limit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 14:55
L30	1	ram with air near2 pressur\$6 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 15:03
L31	4	ram near5 pressur\$6 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 15:04
L32	5	ram near5 hydraulic\$6 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 15:06
L33	87	ram near5 air near2 pressure same control\$5 near3 valve	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 15:07
L34	2	33 and "73"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 15:08
L35	78	pneumatic\$4 near2 ram and "73"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 15:08
L36	14	pneumatic\$4 near2 ram same valve and "73"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 15:09